

Bibliography

- [1] F. Alessandri, G. Bains, and G. D'Inzeo. Conductor loss computation in multiconductor MIC's by transverse resonance technique and modified perturbational method. *IEEE Microwave and Guided wave letters*, 2:250-252, June 1992.
- [2] H. B. Bakoglu. Circuits, interconnections, and packaging for VLSI, chapter 6. ADDISON-WESLEY PUBLISHING COMPANY, 1989.
- [3] Constantine A. Balanis. *Advanced Engineering Electromagnetics*, page 410. JOHN WILEY & SONS, 1989.
- [4] Constantine A. Balanis. *Advanced Engineering Electromagnetics*, pages329-338. JOHN WILEY & SONS, 1989.
- [5] M. S. Basel, M. B. Steer, and P. D. Franzon. Simulation of high speed interconnects using a convolution-based hierarchical packaging simulator. *IEEE Trans. CPMT- Part B*, 18:74-82, February 1995.
- [6] J. Bornemann. A scattering-type transverse resonance technique for the calculation of (M)MIC transmission line characteristics. *IEEE Trans. Microwave Theory Tech.*, MTT-39:2083-2088, December 1991.
- [7] R. E. Collin. *Foundations for Microwave Engineering*. McGraw-Hill, 1992.

- [8] A. Darcherif, A. Raizer, J. Sakellaris, and G. Meunier. On the use of the surface impedance concept in shielded and multiconductor cable characterization by the finite element method. *IEEE Trans. Magnetics*, 28:1446-1449, March 1992.

- [9] A. It. Djordjevic' and T. K. Sarkar. Closed-form formulas for frequency-dependent resistance and inductance per unit length of microstrip and strip transmission lines. *IEEE Trans. Microwave Theory Tech.* 42:241-248, 1994.

- [10] N. Gopal, E. Tuncer, D. P. Neikirk, and L. T. Pillage. Non-uniform lumped models for transmission line analysis. In *IEEE Topical Meeting on Electrical Performance of Electronic Packaging, 1992*.

- [11] C. Gordon, T. Blazeck, and It. Mittra. Time-domain simulation of multiconductor transmission lines with frequency-dependent losses. *IEEE Trans. Computer-Aided Design*, 11:1372-1387, November 1992.

- [12] F. Grover. *Inductance calculations: working formulas and tables*. Dover Publications, 1962.

- [13] H. Guckel, P. A. Brennan, and I. Palocz. A parallel plate waveguide approach to microminiaturized, planar transmission lines for integrated circuit chips. *IEEE Trans. Microwave Theory Tech.*, MTT-15:468-4761, August 1967.

- [14] H. Hasegawa, M. Furukawa, and H. Yanai. Properties of microstrip line on Si-SiO₂ system. *IEEE Trans. Microwave Theory Tech.*, MTT-19:869-881, November 1971.

- [15] H. Hasegawa and S. Seki. Analysis of interconnection delay on very high-speed LSI/VLSI chips using an MIS microstrip line model. *IEEE Trans. Microwave Theory Tech.*, MTT-32:1721-1727, December 1984.
- [16] Hewlett Packard. *Operation Manual, Model 4194A impedance/gain-phase analyzer*, April 1986.
- [17] I. T. Ho and S. K. Mullick. Analysis of transmission lines on integrated circuit chips. *IEEE J. Solid-State Circuits*, SC-2:201-208, December 1967.
- [18] D. Homentcovschi, Giovanni Ghione, Carlo Naldi, and Radu Oprea. Analytic determination of the capacitance matrix of planar or cylindrical multiconductor lines on multilayered substrates. *IEEE Trans. Microwave Theory Tech.*, 43:363-373, 1995.
- [19] M. S. Islam. *Modeling and experimental studies of Schottky-contacted coplanar waveguide transmission lines on semiconductor substrates*. PhD thesis, Graduate School of The University of Texas at Austin, August 1994.
- [20] T. Itoh, editor. *Numerical techniques for microwave and millimeter-wave passive structures*. JOHN WILEY & SONS, 1989.
- [21] W. Jingguo and J. D. Lavers. Modified surface impedance boundary conditions for 3d eddy current problems. *IEEE Trans. Magnetics*, 29:1826-1829, March 1993.
- [22] Mattan Kamon. Efficient techniques for inductance extraction of complex 3-d geometries. Master's thesis, Massachusetts Institute of Technology, 1994.

- [23] S. Y. Kim, N. Gopal, and L. T. Pillage. AWE macromodels of VLSI interconnect for circuit simulation. *IEEE Int'l. Conf. Computer-Aided Des.*, November 1993.
- [24] S. Y. Kim, E. Tuncer, It. Gupta, B. Krauter, D. P. Neikirk, and L. T. Pillage. An efficient methodology for extraction and simulation of transmission lines for application specific electronic modules. Presented at the ICCAD-93.
- [25] R A. Lawton and W. T. Anderson. Two-layer dielectric microstrip line structure: 5i02 on Si and GaAs on Si: modeling and measurement. *IEEE Trans. Microwave Theory Tech.*, MTT-36:785-789, April 1988.
- [26] B. T. Lee, E. Tuncer, and D. P. Neikirk. Efficient 3-d series impedance extraction using effective internal impedance. Submitted to IEEE Topical Meeting on Electrical Performance of Electronic Packaging, 1995
- [27] T. G. Livernois and P. B. Katehi. Characteristic impedance and electromagnetic field distribution in metal-insulator-semiconductor microstrip. *IEEE Trans. Microwave Theory Tech.*, MTT-38:1740-1743, November 1990.
- [28] S. Ramo, J. It. Whinnery, and T. V. Duzer. *Fields and Waves in Communication Electronics*. JOHN WILEY & SONS, 1984.
- [29] S. Ratnajeevan and H. Hoole. Experimental validation of the impedance boundary condition and a review of its limitations. *IEEE Trans. Magnetics*, 25:3028-3030, July 1989.

- [30] L. Rubin. Efficient conformal mapping technique for general transmission line parameter extraction. *IEEE Trans. on Magnetics*, 29:1380-1384, March 1993.
- [31] A. E. Ruehli. Inductance calculations in a complex integrated circuit environment. *IBM J. Res. Develop.*, 16:470-481,1972.
- [32] S. A. Schelkunoff. The electromagnetic theory of coaxial transmission lines and cylindrical shields. *Bell System Technical Journal*, 13:532-579, 1934.
- [33] R. Schinzinger and A. Ametani. Surge propagation characteristics of pipe enclosed underground cables. *IEEE Trans. Power App. & Sys.*, PAS97:1680-1688, 1978.
- [34] R. Schinzinger and P. Laura. *Conformal Mapping: Methods and Applications*. Elsevier, New York, 1991.
- [35] M. J. Tsuk and J. A. Kong. A hybrid method for the calculation of the resistance and inductance of transmission lines with arbitrary cross sections. *IEEE Trans. Microwave Theory Tech.*, 39:1338-1347,1991.
- [36] E. Tuncer, B. T. Lee, M. S. Islam, and D. P. Neikirk. Quasi-static conductor loss calculations in transmission lines using a new conformal mapping technique. *IEEE Trans. Microwave Theory Tech.*, MTT-42:J807-181551,1994.5)
- [37] E. Tuncer, B. T. Lee, and D. P. Neikirk. Interconnect series impedance determination using a surface ribbon method. In *IEEE Topical Meeting on Electrical Performance of Electronic Packaging*, 1994.

- [38] E. Tuncer and D. P. Neikirk. Highly accurate quasi-static modeling of microstrip lines over lossy substrates. *IEEE Microwave and guided wave letters*, 2(10), October 1992.
- [39] W. T. Weeks, L. L. Wu, M. F. McAllister, and A. Singh. Resistive and inductive skin effect in rectangular conductors. *IBM J. Res. Develop.*, 23:652-660,1979.
- [40] Guo-Chun Wen. *Conformal Mappings and Boundary Value Problems*. American Mathematical Society, 1992.
- [41] H. Wheeler. Transmission-line properties of a strip on a dielectric sheet of plane. *IEEE Trans. Microwave Theory Tech.*, MTT-25:631-647, August 1977.
- [42] C. H. Yen, Z. Fazariuc, and R. L. Wheeler. Time-domain skin-effect model for transient analysis of lossy transmission lines. *Proceedings of the IEEE*, 70:750-757, July 1982.